



# **Growing Cactus From Seed**

is a slow and exacting task. The seedlings in the seed flats are grown in a first class glasshouse for three to nine months, depending upon the variety, before they reach a large enough size to be passed on to the young lady in our illustration. She sorts them into several sizes as most cactus grow quite irregularly. At this first transplanting, several hundred tiny plants are set into a flat of specially prepared and heat treated soil. It will be another six to twelve months before they are reset again. During this time they must be carefully watered, sprayed and be protected from the ravages of grasshoppers, cut worms, birds, mice and rabbits all of which consider them to be choice morsels. At the second transplanting they are graded again for size and usually set one hundred to the flat. After another six months to a year, they will be large enough to begin to put on our price list.

#### WHOLESALE TERMS

Cash with order. Packed F.O.B. Corona. 50% cash advance with C.O.D. orders. Minimum wholesale order \$6.50. Hundred rate prices apply on twenty-five or more of one kind. For prices on smaller lots of a kind, see notation at heading of the general listings.

# TRANSIT LOSSES

The goods are yours when delivered to the transportation company. Claims for heating, freezing, delay or poor handling must be taken up with the transporting agency.

In order that you may properly make claim upon the transportation company for transit losses, always ask the delivering agent for a bad order inspection.

# LABELING

We label with plant names only when requested.

# **QUANTITY DISCOUNTS**

# On shipments amounting to -

\$ 50.00 or more 5% \$100.00 or more 10%

Quantity discounts apply to cash or C.O.D. orders. Customers who have established account standing, will be billed at the hundred rates and the above discounts will be allowed if remittance is mailed within twenty one days of invoice date.

## SATISFACTION GUARANTEED

We guarantee quality and fair value. If not satisfied on these points return the goods at once at our expense for full refund.

#### **OVER THE GARDEN GATES**

# Howdy Neighbors:

We are back again with some nice offerings for your summer customers and to grow on into larger plants for next winter's market. This time we are offering a new collection that will interest the customers that are always looking for some thing unusual that is not often found on the plant counters. We call it the FANCIER'S ASSORTMENT and make it up from items that are only found on our retail list. We price it at \$15.00 per 100 and label one of each kind. We can make up a similar \$25.00 per hundred assortment too.

Many of our customers for the ordinary assortments do not care about names, so we are offering our lower priced assortments at one dollar per hundred less than the same kinds ordered under name. If you wish them named, request it and add one dollar per 100 on assortments listed under ten dollars per 100. When higher priced assortments or kinds are ordered under name, we will always label free upon request.

Cactus are blooming all over the place now. As I write this, a bed containing thousands of Notocactus apricus is a solid mat of yellow. The other Notocactus are about ready to break forth and the Mammillarias and Echinopsis are doing themselves proud.

One time this spring we did not have to blow our own horn. Every February, the Desert Botanical Garden near Phoenix, Arizona puts on a ten day cactus show in their large auditorium. We sent over a group of specimen plants established in plastic bulb pans. At this show, commercial entries are not in competition. Consequently we were surprised to learn that by popular vote our exhibit was declared to be the best grown plants in the show and a handsome bronze placque testifying to this was presented to us. We have a lot more that are just as good, so if you are interested in show plants, ask for our large plant list.

We have been having wonderful success with the season's seed sowing which began last fall. This means that next year we will begin to have a lot of new things to offer. You know it takes a year and a half or more to get most of our plants ready to offer in the smaller sizes. Some of the items offered on this list at \$10.00 per 100 are three and even four years old. So what we planted this last winter will not begin to appear upon our lists until some time next year.

Our head packer has been working for us fifteen years. So he knows his stuff and he's raring to get to work on your order.

Adio

Howard E. Gales

P.S. This list cancels all former quotations.—H.E.G.

#### **ASSORTMENTS**

To those who only wish a few of a kind, we recommend our assortments. They are made up of carefully selected plants from each price group and often include some kinds that we do not have in large enough quantity to list. Every one is a good kind and worthy of a place in the assortment. In the first four assortments listed below, we always put in equal numbers of each kind included. The other assortments will vary in numbers of a kind owing to the purpose of the assortment and stock limitations.

Assortments under \$10.00 per 100 are not labeled. For labelling add \$1.00 per 100.

MINIATURE—Tiny all cactus or cactus and succulents mixed for 11/4 in. pots. Our selection. \$4.50 per 100.

SUNSET—All cactus, all succulents or mixed as requested for 2-21/2 in. pots at \$6.50 per 100.

GOLDEN WEST—Larger plants of the Sunset group for  $2\frac{1}{2}-3\frac{1}{2}$  in. pots at \$8.00 per 100.

LITTLE JEWEL—These are the slow growing choice cactus of our price group "B" for 2-21/2 in. pots at \$8.00 per 100.

ROYAL—Larger or choicer plants for  $2\frac{1}{2}$ - $3\frac{1}{2}$  in. pots. Please say whether large size or choicer kinds are preferred. \$15.00 per 100. SUPER—Larger or choicer plants for 3-4 in. pots. Please say whether large plants or smaller choice items for fanciers are desired \$25.00 per 100.

SUPER DUPER—Still larger or better plants as preferred. \$35.00 per 100.

GATES DISH GARDEN ASSORTMENT—Carefully selected cactus and succulents in varying numbers from all size and price groups for the purpose of making up complete, well balanced dish gardens. \$8.00 per 100.

FANCIER'S—Choice kinds from our retail price list that will appeal to collectors of better plants than are usually found on the market. Labelled at \$15.00 per 100.

## NURSERY GROWN CACTUS ARE REALLY BETTER

Prices listed for 100 of a kind. For ten or more of a kind and less than twenty-five, add 20% service charge. If you desire less than ten of a kind, order one of our assortments and ask for as large a variety as possible. Since these prices are wholesale, \$6.50 is the minimum per order. Approximate sizes of the plants we offer, are given in inches below the price group headings. For quantity discounts see "Terms" on the first page.

e Group e per 100		\$10.00	\$15.00	\$25.00
		11/2-2	2-21/2	
	2-3			
		2-3		
white hair		11/2-2	2-21/2	21/2-3
	2-3	3-5		
	2-3			
			2-3	
		11/2-2	2-21/2	
ined, very	11/2-2	2-21/2	21/2-3	3-4
		2-21/2		
		2-3  white hair 2-3  red spines,  ined, very  and yellow \$7.50  \$	2-3 white hair 2-3 white hair 2-3 z-3 white spines, www spines, ined, very 11/2-2 2-21/2 2-21/2 2-21/2 2-21/2	2-3 white hair 2-3 white hair 2-3 z-3 white spines, www spines, ined, very 11/2-2 11/2-2 2-21/2 2-21/2 2-3 2-3 2-3 2-3 2-3 2-3 2-3 2-3 2-3 2-

Price	Group per 100	A \$7.50	\$10.00	C \$15.00	<b>D</b> \$25.00
ECHINOPSIS multiplex. Pink Easter Lily. Globular, spiny, very large pink flow bloomer. Flowers in spring and summer	vers. Day	11/2-2	2-21/2		N. V.
ESCONTRIA chiotilla. Columnar, few light green ribs, light colored spines, very		2-3	2-2-72		
ESPOSTOA lanata. Old Man of Peru. Stout columnar, covered with soft white	wool	11/2-2	2-21/2	21/2-3	3-4
FEROCACTUS melocactiformis. Globular, light green, yellowish spines		11/2-2	2-21/2	- /2 0	
FEROCACTUS pringlei. Globular, colorful spines.		11/2-2	2-21/2		
FEROCACTUS rectispinus. Hat Pin Cactus. Globular with long straight or curved sp		11/2-2	2-21/2		
FEROCACTUS townsendianus. Globular, shorter reddish brown spines		11/2-2			
FEROCACTUS wislizenii. Arizona Barrel. Globular, many ribs, young spines i	red, older	- /2 -		21/2-3	
HAMATOCACTUS setispinus. Strawberry Cactus. Globular, light brown spine flower. Free bloomer during spring and summer. Red fruit		11/2-2	2-21/2	21/2-3	
LEMAIREOCEREUS pruinosus. Blue Mitre. Heavy, angular, columnar, bluish		2-3	3-5		
LEMAIREOCEREUS stellatus. Stout columnar, gray to purplish body, short spines		2-3	3-4		
LEMAIREOCEREUS weberi. Columnar, dark body, light spines		2-3	3-4		
LOBIVIA, binghamiana. Clustering, globular, green, short gray spines, many red		11/4-11/2	11/2-2		
LOBIVIA famatimensis. Orange Cob Cactus. Cob shaped, short spined, flower orange, yellow or red	s may be		11/2-2	2-21/4	
LOPHOCEREUS schottii. Crested Cereus. Stout columnar, 4-5 ribs, fewer and shorte	er spines	2-3			
MAMMILLARIA acanthophlegma. Globular, short white spines, pink flower			11/2-2		
MAMMILLARIA bocasana. Powder Puff. Flattened globular, white hair over sho spines, yellow to pink flower	rt hooked		11/2-2		
MAMMILLARIA bocasana var. Ed Hummel. Globular, white woolly, freely minute hooked spines, rot resistant			11/2-2		
MAMMILLARIA camptotricha. Bird's Nest Cactus. Hemispherical with long nipples, with weak soft spines, yellow flower	tipped		11/2-2	2-21/2	21/2-31/2
MAMMILLARIA celsiana. Globular ,densely covered with short, creamy yellow				2-2-72	2 /2-3 /2
MAMMILLARIA columbiana. (M. bogotensis). Globular to stout columnar, light brown, short spines, pink flower.	yellow to		11/2-2		
MAMMILLARIA decipiens. Gnome's Pincushion. Hemispherical, soft green nipples	, weak		11/2-2	0.01/	······································
whitish spines, white flower			11/2-2	2-21/2	
MAMMILLARIA durispina. Globular, short, black tipped spines, ruby flower			11/2-2	2-21/2	21/2-3
MAMMILLARIA echinaria. Clustering columnar, straight yellow spines, yellow flow MAMMILLARIA elongata. Golden Stars. Clustering, columnar, appressed yellow spines, flower flower.	w spines,		21/2-3	3-4	
yellow flower			21/2-3	3-4	
becoming hairy, rose pink flower in early spring			11/2-2	2-21/2	
MAMMILLARIA kewensis. Globular, brown spines, rosy flower			11/2-2	2-21/2	
MAMMILLARIA longicoma. Biscuit shaped, white woolly, longer hooked spines casana, flesh colored flower			11/2-2		
MAMMILLARIA magnimamma. Hemispherical, large nipples, short curved spines			11/2-2	2-21/2	21/2-3
MAMMILLARIA microheliopsis. Little Suns. Stout columnar, short yellow spines yellow flowers. Beautiful			11/2-2		
MAMMILLARIA perbella. Globular, very short white spines, numerous small b flowers			11/2-2	-	
MAMMILLARIA rhodantha. Rainbow Pincushion. Globular, numerous yellow spines, ruby flower					21/2-3
MAMMILLARIA tetracantha (dolichocentra). Ruby Dumpling. Globular, straig spines, rose pink flower			11/2-2	2-21/2	21/2-3
MAMMILLARIA vaupellii. Vaupel's Pincushion. Tall globular, very short amber ruby flower			11/2-2	2-21/2	
MAMMILLARIA wildii. Fish Hook Pincushion. Globular clustering, harmless sho one tiny fish hook to each nipple, very free blooming in summer			11/2-2	2-21/2	
MONVILLEA diffusa. Slender, columnar, rather soft spines, white night flower			3-5		
MYRTILLOCACTUS geometrizans. Blue Myrtle. Columnar, angular, covered w white powder. Branches freely when older			2-3	3-5	
MYRTILLOCACTUS schenckii. Stout columnar, yellow green body with about 6 brown spines			11/2-2	2-3	
NOTOCACTUS apricus. Sun Cups. Globular, soft gray-brown spines, Large yellow flower in May and June			11/2-2	2-21/2	21/2-3
NOTOCACTUS mammillaris. Lemon Ball. Globular, short stout spines, mar flowers in spring and summer.	y yellow		11/2-2	2-21/2	
NOTOCACTUS ottonis. Indian Head. Globular, weak brown spines, yellow be summer	looms all		11/2-2	2-21/2	

NOTICACTUS scopa. Silver Boll. Globular, short weak silvery spines, centrals red sipped, yellow flowers in late spring and summer.  NYCTOCEREUS serpentinus. Snake Cactus. Fluted columnar, short brown spines, large white night flower in spring and summer.  OPUNTA basilaris. Beaver Tail. Purplish pads, no spines, short glochids, large pink flówer.  OPUNTA glomerata. Paper Spines. Egg shaped joints with long white papery spines.  OPUNTA mimilitate. Boxing Glove. Columnar, short spined. Soon forms stronge hvisite fasciations.  OPUNTIA mimilitate. Boxing Glove. Columnar, short spined. Soon forms stronge hvisite fasciations.  OPUNTIA microdays. Bunny Ear. Rounded pads bearing clusters of timy yellow spicules.  2-3  OPUNTIA microdays. Bunny Ear. Rounded pads bearing clusters of timy yellow spicules.  2-3  OPUNTIA microdays with evar.  OPUNTIA microdays with evar.  OPUNTIA microdays with evar.  OPUNTIA rufida. Cinnamen Cactus. Rounded pads bearing clusters of reddish-brown spicules.  Spicules.  OPUNTIA rufida. Cinnamen Cactus. Rounded pads bearing clusters of reddish-brown spicules.  OPUNTIA rufida. Cinnamen Cactus. Rounded pads bearing clusters of reddish-brown spicules.  OPUNTIA rufida. Cinnamen Cactus. Rounded pads bearing clusters of reddish-brown spicules.  OPUNTIA rufida. Cinnamen Cactus. Rounded pads bearing clusters of reddish-brown spicules.  OPUNTIA rufida. Cinnamen Cactus. Rounded pads bearing clusters of reddish-brown spicules.  OPUNTIA rufida. Cinnamen Cactus. Rounded pads bearing clusters of reddish-brown spicules.  OPUNTIA rufida. Cinnamen Cactus.  Part Rufida Specter-abority in the spines.  2-3  3-5  OPUNTIA rufida. Cinnamen Cactus.  Part Rufida Specter-abority in the spines.  2-3  3-5  OPUNTIA spines.  2-3  3-5	Price Group Price per 100	A \$7.50	<b>B</b> \$10.00	\$15.00	<b>D</b> \$25.00
NICTOCEREUS expendinus. Snoke Cactus. Fluted columnar, short brown spines, large white night flower in spring and summer.  OPUNITA basilaris. Beaver Tail. Purplish pads, no spines, short glochids, large pink flower.  OPUNITA basilaris. Beaver Tail. Purplish pads, no spines, short glochids, large pink flower.  OPUNITA patholina. Columnar with few spines on definite nibs, yellow flower.  OPUNITA mommilitato. Boxing Glove. Columnar, short spined. Soon forms strange twisted  OPUNITA mommilitato. Boxing Glove. Columnar, short spined. Soon forms strange twisted  OPUNITA mommilitato. Boxing Glove. Columnar, short spined. Soon forms strange twisted  OPUNITA mommilitato. Boxing Glove. Columnar, short spined. Soon forms strange twisted  OPUNITA mommilitato. Boxing Glove. Columnar, short spined. Soon forms strange twisted  OPUNITA mommilitato. Boxing Glove. Columnar, short spined. Soon forms strange twisted  OPUNITA mommilitato. Boxing Glove. Columnar, short spined. Soon forms strange twisted  OPUNITA columnar. And the spined of the spined spined. Soon forms strange twisted  OPUNITA columnar. And the spined spined spined. Soon forms strange twisted  OPUNITA columnar. And the spined spined. Soon forms strange twisted  OPUNITA columnar. And the spined spined. Soon forms strange twisted  OPUNITA columnar. And the spined spined. Soon forms strange twisted  OPUNITA columnar. And the spined spined. Soon forms strange twisted  OPUNITA columnar. And the spined spined spined. Soon forms strange twisted  OPUNITA columnar. And the spined spined. Soon forms strange twisted  OPUNITA columnar. And the spined spined spined. Soon forms strange twisted  OPUNITA columnar. And the spined spined. Soon forms strange twisted  OPUNITA columnar. And the spined spined spined. Soon forms strange twisted  OPUNITA columnar. And the spined spined spined. Soon forms spined. Soon form	NOTOCACTUS scopa. Silver Ball. Globular, short weak silvery spines, centrals red		11/2-2		
OPUNITA Position in Comments of the Comment of the	NYCTOCEREUS serpentinus. Snake Cactus. Fluted columnar, short brown spines, large white	2_5	. // _		
OPUNITAl palmerate. Paper Spines. Egg shaped joints with long white papery spines. 2-3  OPUNITAl mormiolines. Columnor with few spines on definite risk. yellow flower. 2-3  OPUNITAl mormiolines. Columnor with few spines on definite risk. 2-3  OPUNITAL microdays. When yellow Edge and the property of th	OPUNTA basilaris. Beaver Tail. Purplish pads, no spines, short glochids, large pink				
OPUNITA homillotice. Columnar with few spines on definite ribs, yellow flower	OPLINTIA glomerata Paner Spines Fag shaped joints with long white panery spines				
OPUNITAl momillota, Boxing Glove, Columnar, short spined, Soon forms strange twisted fasciations.  OPUNITAl microdays as Unity Ear. Rounded pads bearing dusters of finy yellow spicules. 2-3 3-4  OPUNITAL microdays var. Honey Mike, Bunny care with harmless ream colored spines. 2-3 3-4  OPUNITAL microdays var. Honey Mike, Bunny care with tharmless ream colored spines. 2-3 3-4  OPUNITAL microdays var. Honey Mike, Bunny care with tharmless ream colored spines. 2-3  OPUNITAL microdays var. Honey Mike, Bunny care with tharmless ream colored spines. 2-3  OPUNITAL rufida. Cinnamen Cactus. Rounded pads bearing clusters of reddish-brown spicules. 2-3  OPUNITAL rufida. Cinnamen Cactus. Rounded pads bearing clusters of reddish-brown spicules. 2-3  OPUNITAL villa. Dwarf Mexican Tere. Freely branching, very useful when small tree shaped plan is desired. 2-3  OPUNITAL villa. Dwarf Mexican Tere. Freely branching, very useful when small tree shaped plan is desired. 2-3  OPUNITAL villa. Dwarf Mexican Glaint. Heavy columnar, short light brown spines. 2-3  ACHYCEREUS pecter-oboriginum. Indian Comb. Stout columnar, obout 8 ribs, short, light colored spines. 2-3  ACHYCEREUS speckinous. White Torch Cactus. Fluted, heavy columnar, short brown spines 2-3  ALOE humilis brevifolia. Rosettes, pearl gray leaves, sulmon flower. 2-21/2, 21/2-3  ALOE humilis brevifolia. Rosettes, pearl gray leaves, sulmon flower. 2-21/2, 21/2-3  ALOE humilis brevifolia. Rosettes, pearl gray leaves, sulmon flower. 2-21/2, 21/2-3  ALOE humilis provided aloe. Incurred leaves. See compact than Brevifolia. 2-21/2, 21/2-3  ALOE humilis provided aloe. Incurred leaves. See compact than Brevifolia. 2-21/2, 21/2-3  ALOE microstignar. Polia Det Aloe. Rosettes, servel leaves, with round gray and the servel ser					
Fossicitions. 2-3 3-5  OPUNITIA microdays Bunny Ear. Rounded pads bearing clusters of finy yellow spicules. 2-3 3-4  OPUNITIA microdays white very. 2-3  OPUNITIA controlled Cinnemon Cactus. Rounded pads bearing clusters of reddish-brown spicules. 2-3  OPUNITIA villa Cinnemon Cactus. Rounded pads bearing clusters of reddish-brown spicules. 2-3  OPUNITIA villa Cinnemon Cactus. Rounded pads bearing clusters of reddish-brown spicules. 2-3  OPUNITIA villa Cinnemon Cactus. Rounded pads bearing clusters of reddish-brown spicules. 2-3  OPUNITIA villa Dwarf Mexican Tree. Freely branching, very useful when small tree shaped plant is devired. 2-3  OREOCEREUS celsionus. Olid Man of the Andes. Very stout columnar, very long white hair over stout reddish brown spines. 2-3  OREOCEREUS pecten-aberiginum. Indian Comb. Steut columnar, about 8 ribs, short, light colored spines. 2-3  ACCHICKREUS pringlei. Mexican Gioint. Heavy columnar, short, stiff grey spines. 2-3  ACCHICKREUS paringlei. Mexican Gioint. Heavy columnar, short brown spines  SUCCULINT PLANTS  ALOE beguintii. Pearl Aloe. Dwarf, thin pointed leaves bearing white dats. 2-2½, 2½,-3  ALOE humilis brevifolia. Rosettes, pearl gray leaves, salloma filower. 2-2½, 2½,-3  ALOE humilis provifolia. Rosettes, pearl gray leaves, sulloma filower. 2-2½, 2½,-3  ALOE microstignan. Polika Dat Aloe. Rosettes, ercel leaves with many small dats. 2-2½, 2½,-3  ALOE microstignan. Polika Dat Aloe. Rosettes, ercel leaves, surfit many small dats. 2-2½, 2½,-3½,-3  ALOE microstignan. Polika Dat Aloe. Rosettes, ercel leaves, with warding thing the surfice of the pearling pairs of heart shaped variegated leaves, curious stellar flowers. 2-3  ALOE microstignan. Polika Dat Aloe. Rosettes, derect leaves, surfit warding thing the provided tree date with white. 2-3  3-5  CHERIDOPSIS candidisting. V for Victory. Forms clusters of pulverulent erect angular leaves		2-3			
OPUNITAl microdays van Honey Mike. Bunny ear with harmless ream colored spines. 2-3 3-4  OPUNITA microdays van Honey Mike. Bunny ear with harmless ream colored spines. 2-3 3-4  OPUNITA microdays van Honey Mike. Bunny ear with harmless ream colored spines. 2-3  OPUNITA microdays withe var. 2-3  OPUNITA refida. Cinnamon Cactus. Rounded pads bearing clusters of reddish-brown spicules. 2-3  OPUNITA refida. Cinnamon Cactus. Rounded pads bearing clusters of reddish-brown spicules. 2-3  OPUNITA with the property of the property	fasciations	2-3	3-5	,	
OPUNITAl microdays withe vor.  OPUNITAL refidal. Cinnamon Catchus. Reunded pads bearing clusters of reddish-brown spiceles.  OPUNITAL refidal. Cinnamon Catchus. Reunded pads bearing clusters of reddish-brown spiceles.  OPUNITAL shickendentzii. Mule Fars. Elongoted pads, short light brown spines.  OPUNITAL Villis. Dworf Mexican Tree. Freely branching, very useful when small tree shaped plant is desired.  OPUNITAL VIII. Dworf Mexican Tree. Freely branching, very useful when small res shaped plant is desired.  OPUNITAL VIII. Dworf Mexican Tree. Freely branching, very useful when small res shaped plant is desired.  OPUNITAL VIII. Dworf Mexican Tree. Freely branching, very useful when small res shaped plant is desired.  OPUNITAL VIII. Dworf Mexican Tree. Freely branching, very useful when small res shaped plant is desired.  OPUNITAL VIII. Dworf Mexican Tree. Freely branching, very useful when small res shaped plant is desired.  OPUNITAL VIII. Dworf Mexican Tree. Freely branching, very useful when small res shaped plant is desired.  OPUNITAL VIII. VIII					
OPUNITAl microdays white var.  OPUNITA radiac, Ginnamon Cactus, Reunded pads bearing clusters of reddish-brown spicules.  OPUNITA schickendentzii, Mule Ears, Elongated pads, short light brown spines.  OPUNITA schickendentzii, Mule Ears, Elongated pads, short light brown spines.  OPUNITA schickendentzii, Mule Ears, Elongated pads, short light brown spines.  OPUNITA schickendentzii, Mule Ears, Elongated pads, short light brown spines.  OPUNITA schickendentzii, Mule Ears, Elongated pads, short light brown spines.  OPUNITA schickendentzii, Mule Ears, Elongated pads, short light brown spines.  OPUNITA schickendentzii, Mule Ears, Elongated pads, short light brown spines.  OPUNITA schickendentzii, Mule Ears, Elongated pads, short light brown spines.  OPUNITA schickendentzii, Mule Ears, Elongated pads, short light brown spines.  OPUNITA schickendentzii, Mule Ears, Elongated pads, short light brown spines.  OPUNITA schickendentzii, Mule Ears, Elongated pads, short light brown spines.  OPUNITA schickendentzii, Mule Ears, Elongated pads, short light brown spines.  OPUNITA schickendentzii, Mule Ears, Elongated pads, short light brown spines.  OPUNITA schickendentzii, Mule Ears, Elongated pads, short light brown spines.  OPUNITA schickendentzii, Mule Ears, Elongated pads, short light brown spines.  OPUNITA schickendentzii, Mule Ears, Elongated pads, short light brown spines.  OPUNITA schickendentzii, Mule Ears, Elongated pads, short light brown spines.  OPUNITA schickendentzii, Mule Ears, Elongated Pads, short light brown spines.  OPUNITA schickendentzii, Mule Ears, Elongated Pads, short light brown spines.  OPUNITA schickendentzii, Mule Ears, Elongated Ears, Ears, Elongated Elong					
OPUNITIA monaconthia. (Vulgaris). Green pads, few spines, yellow flowers.  OPUNITIA rollad. Cinnamon Catchus. Reunded pads bearing clusters of reddish-brown spines.  OPUNITIA villis. Dwarf Mexican Tree. Freely branching, very useful when small tree shaped plant is desired.  OPUNITIA villis. Dwarf Mexican Tree. Freely branching, very useful when small tree shaped plant is desired.  OPUNITIA villis. Dwarf Mexican Tree. Freely branching, very useful when small tree shaped plant is desired.  OPUNITIA villis. Dwarf Mexican Gree. Freely branching, very useful when small tree shaped plant is desired.  OPUNITIA villis. Dwarf Mexican Green Freely branching, very useful when small tree shaped plant is desired.  OPUNITIA villis. Dwarf Mexican Green Freely branching, very useful when small tree shaped plant is desired.  OPUNITIA villis. Dwarf Mexican Green Freely stanthing, very useful when small tree shaped plant is desired.  OPUNITIA villis. Dwarf Mexican Green Freely stanthing, very useful when small tree shaped plant is desired.  OPUNITIA villis. Dwarf Mexican Green Freely stanthing, very useful when small tree shaped plant is desired.  OPUNITIA villis. Dwarf Mexican Green Freely stanthing, very useful when small research is shaped plant is desired.  OPUNITIA villis. OPUNITIAN STANTHING VILLIS villis.  OPUNITIAN STANTHING VILLIS villis.  OPUNITIA villis. OPUNITIAN STANTHING VILLIS villis.  OPUNITIAN STANTHING VILLIS villis.  OPUNITIAN STANTHING VILLIS villis.  OPUNITIAN STANTHING VILLIS villis.  OPUNITIAN STANTHING VILLIS villis.  OPUNITIAN STANTHING VILLIS villis.  OPUNITIAN STANTHING VILLIS villis.  OPUNITIAN STANTHING VILLIS villis.  OPUNITIAN STANTHING VILLIS villis.  OPUNITIAN STANTHING VILLIS villis.  OPUNITIAN STANTHING VILLIS villis.  OPUNITIAN STANTHING VILLIS villis.  OPUNITIAN STANTHING VILLIS villis					
OPUNITA refida. Cinnamon Cactus. Reunded pods bearing clusters of reddish-brown spicules.  OPUNITA strikkendantali. Mule Ears. Elengated pods, short light brown spines.  OPUNITA strikkendantali. Mule Ears. Elengated pods, short light brown spines.  OPUNITA Vills. Dwarf Mexican Tree. Freely branching, very useful when small tree shaped plant is desired.  ORECCEREUS clainaus. Old Man of the Andes. Very stout columnar, very long white hair over stout reddish brown spines.  PACHYCEREUS petern-oberiginum. Indian Comb. Stout columnar, about 8 ribs, short, light colored spines.  PACHYCEREUS prainglei. Mexican Giaint. Heavy columnar, short, stiff gray spines.  SUCCUENT PLANTS  ALOE beguinii. Pearl Aloe. Dwarf, thin pointed leaves bearing white dots.  SUCCUENT PLANTS  ALOE hamilis previfedia. Rosettes, pearl gray leaves, salman flower.  ALOE humilis plobosa. Creacidile Aloe. Incurved leaves, more compact than Brevifolia.  ALOE humilis globosa. Creacidile Aloe. Incurved leaves, more compact than Brevifolia.  ALOE mobilis. Needle Aloe. Siender, erect, toothed green leaves.  ALOE mobilis. Old Tooth. Rosettes, dark green leaves, sellow teeth.  ALOE mobilis. Gold Tooth. Rosettes, dark green leaves, white variegation, scalet flower.  ALOE province and the sellow of the s					
Spicules. 2-3 3-5  OPUNITA Vilis. Dwarf Mexicon Tree. Freely branching, very useful when small tree shaped plant is desired. 2-3  OPUNITA Vilis. Dwarf Mexicon Tree. Freely branching, very useful when small tree shaped plant is desired. 2-3  OREOCERUS celsionus. Old Man of the Andes. Very stout columnar, very long white hair ever stout reddish brown spines. 2-3  OREOCERUS pecten-aboriginum. Indian Comb. Stout columnar, about 8 ribs, short, light colored spines. 2-3  PACHYCEREUS pringlei. Mexican Glaint. Heavy columnar, short, stiff gray spines. 2-3  ASS PACHYCEREUS pringlei. Mexican Glaint. Heavy columnar, short brown spines 2-3  SUCCULENT PLANTS  SUCCULENT PLANTS  ALOE beguinii. Pearl Aloe. Dwarf, thin pointed leaves bearing white dots 2-2½, 2½-3  ALOE humilis brevifolia. Resettes, pearl gray leaves, salmon flower. 2-2½, 2½-3  ALOE humilis previfolia. Resettes, pearl gray leaves, salmon flower. 2-2½, 2½-3  ALOE humilis previfolia. Resettes, pearl gray leaves, with reversible to the spine of	OPUNTIA rufida. Cinnamon Cactus. Rounded pads bearing clusters of reddish-brown	2-3			
OPUNITA schickendantzii. Mule Ears. Elengated pads, short light brown spines		2-3	3-5		
OPUNITA VIIIs. Dwarf Mexicon Tree. Freely branching, very useful when small tree shaped plant is desired.  OREOCERUS celsianus. Old Man of the Andes. Very stout columnar, very long white hair ever stout reddish brown spines.  PACHYCEREUS pecten-aboriginum. Indian Comb. Stout columnar, about 8 ribs, short, light colored spines.  PACHYCEREUS pringles. Mexican Glaint. Heavy columnar, short, stiff gray spines.  2-3 3-5  PACHYCEREUS pringles. Mexican Glaint. Heavy columnar, short brown spines  SUCCULENT PLANTS  ALOE beguinii. Pearl Alee. Dwarf, thin pointed leaves bearing white dots  ALOE humilis brevifolia. Resettes, pearl gray leaves, salmon flower.  ALOE humilis brevifolia. Resettes, pearl gray leaves, salmon flower.  ALOE humilis previfolia. Resettes, pearl gray leaves, with warm of the many small dots.  ALOE humilis previfolia. Resettes, pearl gray leaves, with warm of the many small dots.  ALOE microsiligan. Polka Dat Aloe. Rosettes, great leaves with many small dots.  ALOE variegata. Tiger Aloe. Tiangular, gray leaves, white variegation, scarlet flower.  CEEROPEGIA woodil. Heart Leaved Rosary Vine, Wiry branches from tuber bearing pairs of heart shaped variegated leaves, curious slender flowers.  CEEROPEGIA woodil. Heart Leaved Rosary Vine, Wiry branches from tuber bearing pairs of heart shaped variegated leaves, curious slender flowers.  CEEROPEGIA woodil. Heart Leaved Rosary Vine, Wiry branches from tuber bearing pairs of heart shaped variegated leaves, curious slender flowers.  CEEROPEGIA woodil. Heart Leaved Rosary Vine, Wiry branches from tuber bearing pairs of heart shaped variegated leaves, curious slender flowers.  CEEROPEGIA woodil. Heart Leaved Rosary Vine, Wiry branches from tuber bearing parties.  CEEROPEGIA woodil. Heart Leaved Rosary Vine, Wiry branches from tuber bearing parties.  CEEROPEGIA woodil. Heart Leaved Rosary Vine, Wiry branches from tuber bearing parties.  CEEROPEGIA woodil. Heart Leaved Rosary Vine, Wiry branches from South Africa where further exportation is prohibited.  CEEROPEGIA		_			
OREOCEREUS celsionus. Old Man of the Andes. Very stout columnar, very long white heir over stout reddish brown spines.  PACHYCEREUS pecten-aboriginum. Indian Comb. Stout columnar, about 8 ribs, short, light colored spines.  PACHYCEREUS pringlei. Mexican Giaint. Heavy columnar, short, stiff gray spines.  2.3 3.5  PACHYCEREUS spachianus. White Torch Cactus. Fluted, heavy columnar, short brown spines  SUCCULENT PLANTS  ALOE beguinii. Pearl Aloe. Dworf, thin pointed leaves bearing white dots.  ALOE humilis brevifolia. Rosettes, pearl gray leaves, salman flower.  ALOE humilis brevifolia. Rosettes, pearl gray leaves, salman flower.  ALOE humilis brevifolia. Rosettes, pearl gray leaves, salman flower.  ALOE humilis Drevifolia. Rosettes, pearl gray leaves, salman flower.  ALOE humilis Drevifolia. Rosettes, pearl gray leaves, salman flower.  ALOE mobilis. Gold Tooth. Rosettes, derect leaves with many small dots.  2.2½, 2½, 2½, 3  ALOE nobilis. Gold Tooth. Rosettes, derect leaves, white variegation, scarlet flower.  ALOE nobilis. Gold Tooth. Rosettes, darge yellow teeth.  2.3 3.5  ALOE wireigata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower.  CEROPEGIA woodii. Heart Leaved Rosary vine. Wiry branches from tuber bearing pairs of heart shaped variegated leaves, curious slander flowers.  LERIDOPSIS candidissima. V for Victory. Forms clusters of pulverulent erect angular leaves, large yellow to pink flower in winter.  2.21/2, 21/2, 3  3.5  ALOE worker further exportations is prohibited.  Affrica where further exportations is prohibited.  AFAUCARIA tigring hybrids. Tiger Jaws. Broad triangular leaves variously dotted and toothed. Yellow flowers in foll.  ASTISTRIA vertucosa hybrids. Rice Gasteria, Gray green leaves detailed with white.  2.21/2, 22/	OPUNTIA Vilis. Dwarf Mexican Tree. Freely branching, very useful when small tree shaped				
hair over stout reddish brown spines.  ACHYCEREUS preten-aboriginum. Indian Comb. Stout columnar, about 8 ribs, short, light colored spines.  PACHYCEREUS pringlei. Mexican Giaint. Heavy columnar, short, stiff gray spines.  2-3 3-5  IRICHOCEREUS spachianus. White Torch Cactus. Fluted, heavy columnar, short brown spines  SUCCULENT PLANTS  ALOE beguinii. Pearl Aloe. Dwarf, thin pointed leaves bearing white dots.  ALOE humilis brevifolia. Rosettes, pearl gray leaves, salmen flower.  ALOE humilis provide Aloe. Stender, erect, toothed green leaves.  ALOE humilis provide. Rosettes, pearl gray leaves, selmen flower.  ALOE microstigma. Polika Dot Aloe. Rosettes, erect leaves with many small dots.  ALOE microstigma. Polika Dot Aloe. Rosettes, erect leaves, with many small dots.  ALOE variegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower.  CEROPEGIA woodii. Heart Leaved Rosary Vine. Wiry branches from tuber bearing pairs of heart shaped variegated leaves, curious slender flowers.  CEROPEGIA woodii. Heart Leaved Rosary Vine. Wiry branches from tuber bearing pairs of heart shaped variegated leaves, curious slender flowers.  CEROPEGIA woodii. Heart Leaved Rosary Vine. Wiry branches from tuber bearing pairs of heart shaped variegated leaves, curious slender flowers.  CEROPEGIA woodii. Heart Leaved Rosary Vine. Wiry branches from tuber bearing pairs of heart shaped variegated leaves, curious slender flowers.  CEROPEGIA woodii. Heart Leaved Rosary Vine. Wiry branches from tuber bearing pairs of heart shaped variegated leaves, curious slender flowers.  CEROPEGIA woodii. Heart Leaved Rosary Vine. Wiry branches from tuber bearing large white wooding the shaped pairs of heart shaped variegated leaves, curious slender flowers.  CEROPEGIA woodii. Heart Leaved Rosary Vine. Wiry branches from South Africa where further exportation is prohibited.  A-8  CEROPEGIA woodii. Acade tranches from South Africa where further exportation is prohibited.  A-8  CEROPEGIA woodii. Acade tranches free shaped flower shaped fl	OREOCEREUS celsianus. Old Man of the Andes. Very stout columnar, very long white	Name of the last of		100-1-10	
PACHYCEREUS pecten-aboriginum. Indian Comb. Stout columnar, about 8 ribs, short, light colored spines.  2-3 3-5 PACHYCEREUS pringlei. Mexicon Giaint. Heavy columnar, short, stiff grey spines.  2-3 3-5 TRICHOCEREUS spachianus. White Torch Cactus. Fluted, heavy columnar, short brown spines  SUCCULENT PLANTS  ALOE beguinii. Pearl Aloe. Dwarf, thin pointed leaves bearing white dots.  2-2½; 2½;-3 ALOE humilis brevifolia. Rosettes, pearl gray leaves, salmon flower.  2-2½; 2½;-3 ALOE humilis brevifolia. Rosettes, pearl gray leaves, salmon flower.  2-2½; 2½;-3 ALOE humilis previfolia. Rosettes, during the colored leaves.  ALOE humilis provided Aloe. Slender, erect, toethod green leaves, white variegation, scarlet flower.  2-2½; 2½;-3 ALOE mobilis. Gold Tooth. Rosettes, durk green leaves, yellow teeth.  2-3 3-5 ALOE variegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower.  2-2½; 2½;-3½;-3 ALOE variegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower.  2-2½; 2½;-3½;-3 ALOE variegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower.  2-2½; 2½;-3½;-3 ALOE variegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower.  2-2½; 2½;-3½;-3 ALOE variegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower.  2-2½; 2½;-3½;-3 ALOE variegata. Spented leaves, curious slender flowers.  2-2½;-3½;-3 ALOE variegated leaves, curious slender flowers.  4-8 CLERIDPSIG candidistima. V for Victory. Forms clusters of pulverulent erect angular leaves, large yellow to pink flower in winter.  2-2½; 2	hair over stout reddish brown spines.			2-21/2	21/2-3
PACHYCEREUS pringlel. Mexican Gioint. Heavy columnar, short prown spines  SUCCULENT PLANTS  ALOE beguinii. Pearl Aloe. Dwarf, thin pointed leaves bearing white dots.  ALOE humilis previfedia. Rosettes, pearl gray leaves, salmon flower.  ALOE humilis previfedia. Rosettes, pearl gray leaves, salmon flower.  ALOE humilis previfedia. Rosettes, pearl gray leaves, salmon flower.  ALOE humilis globosa. Cracodile Aloe. Incurved leaves, more compact than Brevifolia.  ALOE humilis globosa. Cracodile Aloe. Incurved leaves, more compact than Brevifolia.  ALOE humilis globosa. Cracodile Aloe. Rosettes, erect leaves with many small dots.  ALOE mobilis. Gold Tooth. Rosettes, dark green leaves, yellow teeth.  ALOE mobilis. Gold Tooth. Rosettes, dark green leaves, yellow teeth.  ALOE mobilis. Gold Tooth. Rosettes, dark green leaves, yellow teeth.  ALOE mobilis. Gold Tooth. Rosettes, dark green leaves, white variegation, scarlet flower.  CEROPEGIA woodli. Heart Leaved Rosary Vine. Wiry branches from tuber bearing pairs of heart shaped variegated leaves, curious slender flowers.  CHERIDOPSIS candidissima. V for Victory. Forms clusters of pulverulent erect angular leaves, large yellow to pink flower in winter.  EUPHORBIA obesa. Basket Ball. Spherical, very hard. A very curious plant from South Africa where further exportation is prohibited.  FAUCARIA tigrina hybrids. Ox Tongue. Tall, 2-ranked leaves, spotted with white.  ASTERIA hybrids. Ox Tongue. Tall, 2-ranked leaves, spotted with white.  ALOE Tollow flowers in fall.  AWORTHA margaritifera. Mother-in-lad-wix Tongue. Rosettes of sharply tapering leaves bearing irregularly spaced, raised white dots.  ALAMORTHA margaritifera. Mother-in-lad-wix Tongue. Rosettes of sharply tapering leaves bearing raised white dots in transverse bands.  2-2½  ALAMORTHA for the margaritifera. Mother-in-lad-wix Tongue. Rosettes of sharply tapering upright leaves bearing rosed white dots in transverse bands.  2-2½  2-2½  2-2½  2-2½  2-2½  2-2½  2-2½  2-2½  2-2½  2-2½  2-2½  2-2½  2-2½  2-2½  2-2½  2-2½	PACHYCEREUS pecten-aboriginum. Indian Comb. Stout columnar, about 8 ribs, short,	1 1		1 14 14	
SUCCUENT PLANTS  SUCCUENT PLANTS  SUCCUENT PLANTS  ALOE beguinii. Pearl Aloe. Dwarf, thin pointed leaves bearing white dots.  ALOE burnilis brevifolia. Rosettes, pearl gray leaves, salmon flower.  ALOE humilis brevifolia. Rosettes, pearl gray leaves, salmon flower.  ALOE humilis globosa. Cracodile Aloe. Incurved leaves, more compact than Brevifolia.  ALOE humilis globosa. Cracodile Aloe. Incurved leaves, more compact than Brevifolia.  ALOE mirrissigma. Polika Dori Aloe. Rosettes, erect leaves with many small dots.  ALOE mirrissigma. Polika Dori Aloe. Rosettes, erect leaves with many small dots.  ALOE mirrissigma. Polika Dori Aloe. Rosettes, erect leaves with many small dots.  ALOE mirrissigma. Polika Plant. Rosettes, dark green leaves, yellow teeth.  ALOE variegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower.  CEROPEGIA woodii. Heart Leaved Rosery Vine, Wity branches from tuber bearing pairs of heart shaped variegated leaves, curious slender flowers.  CERRIDOPSIS candidissima. V for Victory. Forms custers of pulverulent erect angular leaves, large yellow to pink flower in winter.  BUPHORBIA obesa. Basket Ball. Spherical, very hard. A very curious plant from South Africa where further expertation is prohibited.  AFAUCARIA iignina hybrids. Tiger Jaws. Broad triangular leaves variously dotted and toothed. Yellow flowers in fall.  GASTERIA verrucosa hybrid. Rice Gasteria. Gray green leaves dotted with white.  2-21/2  ALAWORTHIA margaritifera. Mother-in-law's Tongue. Rosettes of sharply tapering leaves bearing irregularly spaced, raised white dots.  ALAWORTHIA facsiciat. Zebra Plant. Rosettes sharply tapering upright leaves bearing raised white dots in transverse bands.  ALANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins.  ALANCATHIA facsiciat. Zebra Plant. Rosettes of shell shaped gray-green leaves, beaded edges, pink to yellow flower.  ALANCATHIA faciation. Zebra Plant. Rosettes of shell shaped gray-green leaves, beaded edges, pink to yellow		2-3	3-5		
SUCCULENT PLANTS  ALOE beguinii. Pearl Aloe. Dwarf, thin pointed leaves bearing white dots. 2-21/2 21/2-3  ALOE humilis brevifolia. Rosettes, pearl gray leaves, salmon flower. 2-21/2 21/2-3  ALOE humilis globosa. Crocodile Aloe. Incurved leaves, more compact than Brevifolia. 2-21/2 21/2-3  ALOE mobilis globosa. Crocodile Aloe. Incurved leaves, more compact than Brevifolia. 2-21/2 21/2-3  ALOE microstigma. Polka Dot Aloe. Rosettes, erect leaves with many small dots. 21/2-31/2  ALOE mobilis. Gold Tooth. Rosettes, dark green leaves, yellow teeth. 2-3 3-5  ALOE variegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower. 2-3/2 31/2-5  ALOE variegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower. 2-21/2 21/2-31/2 31/2-5 5-6  CEROPEGIA woodii. Heart Leaved Rosary Vine, Wirly branches from tuber bearing pairs of heart shaped variegated leaves, curious slender flowers.  CHERIDOPSIS candidissima. V for Victory. Forms clusters of pulverulent erect angular leaves, large yellow to pink flower in winter. 2-3 3-5  EUPHORBIA obesa. Basket Ball. Spherical, very hard. A very curious plant from South Africa where further exportation is prohibited.  FAUCARIA tigrina hybrids. Tiger Jaws. Broad triangular leaves variously dotted and toothed. Yellow flowers in fall.  GASTERIA hybrids. Ox Tongue. Tall, 2-ranked leaves, spotted with white. Very durable. 2-3 3-5  ALAWORTHA frasciata. Zebra Plant. Rosettes sharply tapering leaves bearing irregularly spaced, raised white dots.  HAWORTHA Rosciata. Zebra Plant. Rosettes sharply tapering upright leaves bearing rinegularly spaced, raised white dots.  HAWORTHA Rosciata. Zebra Plant. Rosettes sharply tapering upright leaves bearing raised white dots in transverse bands.  HEREROA nelli. Moose Horns. Rosettes of scimitar shaped green leaves, small yellow flowers in the fall.  PLEIOSPILOS belusii. Split Rock. One to three pairs of thick leaves that resemble stones. 2-21/2 21/2-3  ALOE to the proper shape of the print Brush. Keel shaped, gray green l		2-3	3-5		
ALOE beguinii. Pearl Aloe. Dwarf, thin pointed leaves bearing white dots.  ALOE humilis brevifolia. Rosettes, pearl gray leaves, salmon flower.  ALOE humilis brevifolia. Rosettes, pearl gray leaves, salmon flower.  ALOE humilis brevifolia. Rosettes, pearl gray leaves, salmon flower.  ALOE humilis brevifolia. Rosettes, pearl gray leaves, salmon flower.  ALOE humilis plobosa. Crocodile Aloe. Incurved leaves, more compact than Brevifolia.  2-2½, 2½-3  3-5  ALOE humivir. Needle Aloe. Slender, erect, toothed green leaves.  ALOE mobilis. Gold Tooth. Rosettes, dark green leaves, yellow teeth.  ALOE nobilis. Gold Tooth. Rosettes, dark green leaves, yellow teeth.  ALOE was also and the analysis of heart shaped variegated leaves, curious slender flowers.  CERCOPEGIA woodil. Heart Leaved Rosary Vine. Wiry branches from tuber bearing pairs of heart shaped variegated leaves, curious slender flowers.  CHERIDOPSIS candidissima. V for Victory. Forms clusters of pulverulent erect angular leaves, large yellow to pink flower in winter.  EUPHORBIA obesa. Basket Ball. Spherical, very hard. A very curious plant from South Africa where further exportation is prohibited.  ALOCARA Injarina hybrids. Tiger Jaws. Broad triangular leaves variously dotted and toothed. Yellow flowers in fall.  GASTERIA hybrids. Ox Tongue. Tall, 2-ranked leaves, spotted with white. Very durable.  2-3 3-5  ALAWANGTHIA margaritifera. Mother-in-law's Tongue. Rosettes of sharply tapering leaves bearing raised white dots in transverse bands.  HAWORTHIA fesciata. Zebra Plant. Rosettes sharply tapering upright leaves bearing raised white dots in transverse bands.  HERROA nellii. Moose Horns. Rosettes of scimitar shaped green leaves, small yellow flowers.  ALANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins.  NANANTHUS malherbei. Very interesting rosettes of shell shaped gray-green leaves, beaded edges, pink to yellow flower.  PELIOSPILOS balusii. Split Rock. One to three pairs of thick leaves that resemble stones. Yellow t	TRICHOCEREUS spachianus. White Torch Cactus. Fluted, heavy columnar, short brown spines	2-3	3-5		
ALOE beguinii. Pearl Aloe. Dwarf, thin pointed leaves bearing white dots.  ALOE humilis brevifolia. Rosettes, pearl gray leaves, salmon flower.  ALOE humilis brevifolia. Rosettes, pearl gray leaves, salmon flower.  ALOE humilis brevifolia. Rosettes, pearl gray leaves, salmon flower.  ALOE humilis brevifolia. Rosettes, pearl gray leaves, salmon flower.  ALOE humilis plobosa. Crocodile Aloe. Incurved leaves, more compact than Brevifolia.  2-2½, 2½-3  3-5  ALOE humivir. Needle Aloe. Slender, erect, toothed green leaves.  ALOE mobilis. Gold Tooth. Rosettes, dark green leaves, yellow teeth.  ALOE nobilis. Gold Tooth. Rosettes, dark green leaves, yellow teeth.  ALOE was also and the analysis of heart shaped variegated leaves, curious slender flowers.  CERCOPEGIA woodil. Heart Leaved Rosary Vine. Wiry branches from tuber bearing pairs of heart shaped variegated leaves, curious slender flowers.  CHERIDOPSIS candidissima. V for Victory. Forms clusters of pulverulent erect angular leaves, large yellow to pink flower in winter.  EUPHORBIA obesa. Basket Ball. Spherical, very hard. A very curious plant from South Africa where further exportation is prohibited.  ALOCARA Injarina hybrids. Tiger Jaws. Broad triangular leaves variously dotted and toothed. Yellow flowers in fall.  GASTERIA hybrids. Ox Tongue. Tall, 2-ranked leaves, spotted with white. Very durable.  2-3 3-5  ALAWANGTHIA margaritifera. Mother-in-law's Tongue. Rosettes of sharply tapering leaves bearing raised white dots in transverse bands.  HAWORTHIA fesciata. Zebra Plant. Rosettes sharply tapering upright leaves bearing raised white dots in transverse bands.  HERROA nellii. Moose Horns. Rosettes of scimitar shaped green leaves, small yellow flowers.  ALANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins.  NANANTHUS malherbei. Very interesting rosettes of shell shaped gray-green leaves, beaded edges, pink to yellow flower.  PELIOSPILOS balusii. Split Rock. One to three pairs of thick leaves that resemble stones. Yellow t	SUCCILIENT PLANTS		74.		
ALOE humilis brevifolia. Rosettes, pearl gray leaves, salmon flower.  ALOE humilis globosa. Crocodile Aloe. Incurved leaves, more compact than Brevifolia.  ALOE humilis globosa. Crocodile Aloe. Incurved leaves, more compact than Brevifolia.  ALOE humilis globosa. Crocodile Aloe. Incurved leaves, more compact than Brevifolia.  ALOE multives flowers.  ALOE more flowers.  ALOE more flowers.  ALOE more flowers.  ALOE corrected and flower flowers.  ALOE more flowers.  ALOE corrected and flowers.  ALOE working flowers.  ALOE working flowers.  ALOE working flowers in the fall.  ALOE working flowers in the fall.  ALOE working flowers in flowers.  CHEROPEGIA woodil. Heart Leaved Rosary Vine, Wiry branches from tuber bearing pairs of heart shaped variegated leaves, curious slender flowers.  CHERIDOPSIS candidissima. V for Victory. Forms clusters of pulverulent erect angular leaves, large yellow to pink flower in winter.  CHERIDOPSIS candidissima. V for Victory. Forms clusters of pulverulent erect angular leaves, large yellow to pink flower in winter.  CHERIDOPSIS candidissima. V for Victory. Forms clusters of pulverulent erect angular leaves, large yellow special flowers.  ACHOLARIA flagring hybrids. Tiger Jaws. Broad triangular leaves variously dotted and toothed. Yellow flowers in fall.  ACHOLARIA flagring hybrids. Tiger Jaws. Broad triangular leaves variously dotted and toothed.  ACHOLARIA flagring hybrids. Tiger Jaws. Broad triangular leaves with white.  ACHOLARIA flagring hybrids. Tiger Jaws. Broad triangular leaves with white.  ACHOLARIA flagring hybrids. Tiger Jaws. Broad triangular leaves with the white.  ACHOLARIA flagring hybrids.  ACHOLARIA					( ) - 11 (
ALOE hum-vir. Needle Aloe. Slender, erect, toothed green leaves. 2-3 3-5  ALOE microstigma. Polka Dot Aloe. Rosettes, erect leaves with many small dots. 2/2,-3/3/  ALOE microstigma. Polka Dot Aloe. Rosettes, erect leaves with many small dots. 2/2,-3/3/  ALOE microstigma. Polka Dot Aloe. Rosettes, dark green leaves, yellow teeth. 2-3 3-5  ALOE variegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower. 2-3/2 2/2,-3/2 3/2-5 5-6  CEROPEGIA woodii. Heart Leaved Rosery Vine, Wiry branches from tuber bearing pairs of heart shaped variegated leaves, curious slender flowers.  CERRIDOPSIS candidissima. V for Victory. Forms clusters of pulverulent erect angular leaves, large yellow to pink flower in winter.  EUPHORBIA obesa. Basket Ball. Spherical, very hard. A very curious plant from South Africa where further exportation is prohibited.  CASTERIA hybrids. Ox Tongue. Tall, 2-ranked leaves, spotted with white. Very durable. 2-3 3-5  CASTERIA hybrids. Ox Tongue. Tall, 2-ranked leaves, spotted with white. 2-3 3-5  ALAWORTHIA margaritifera. Mother-in-law's Tongue. Rosettes of sharply tapering leaves bearing irregularly spaced, raised white dots. Intransverse bands.  HEREROA nellii. Moose Horns. Rosettes of scimitar shaped green leaves, small yellow flowers.  CALIANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins.  NANANTHUS malherbei. Very interesting rosettes of shell shaped gray-green leaves, beaded edges, pink to yellow flower.  PELIOSPILOS holisi. Split Rock. One to three pairs of thick leaves that resemble stones. Yellow to pink flowers in the fall.  PELIOSPILOS nelli. Cleft Stone. More globular and compact than Bolusii. Slower growing. Yellow to pink flower in late winter.  ROCCHEA falcata. Scarlet Paint Brush. Keel shaped, gray green leaves in opposite pairs, large trusses of scarlet flowers in summer.  STAPELIA hirating and the pair of thick leaves that resemble stones. Yellow to pink flower in late winter.				Will !	
ALOE hum-vir. Needle Aloe. Slender, erect, toothed green leaves.  ALOE microstigma. Polka Dot Aloe. Rosettes, erect leaves with many small dots.  ALOE mobilis. Gold Tooth. Rosettes, dark green leaves, yellow teeth.  ALOE variegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower.  ALOE mobilis. Gold Tooth. Rosettes, dark green leaves, yellow teeth.  ALOE variegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower.  ALOE variegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower.  ALOE variegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower.  ALOE variegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower.  ALOE variegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower.  ALOE variegata. Variety and the variety of the variety o				3-4	1 1 1 1 1 1
ALOE microstigma. Polka Dot Aloe. Rosettes, erect leaves with many small dots.  ALOE notilis. Gold Tooth. Rosettes, dark green leaves, yellow teeth.  ALOE variegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower.  ALOE variegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower.  ALOE variegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower.  ALOE variegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower.  ALOE variegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower.  ALOE variegata. Special variegates and the variegation of heart shaped variegated leaves, curious slender flowers.  ALOE variegata. Special variegata. Special varies of pulverulent erect angular leaves, large yellow to pink flower in winter.  EVHORBIA obesa. Basket Ball. Spherical, very hard. A very curious plant from South Africa where further exportation is prohibited.  ALOE variegata. Special varies and triangular leaves variously dotted and toother.  ALOE variegata. Special varies and triangular leaves variously dotted and toother.  ALOE variegata. Special varies and triangular leaves variously dotted and toother.  ALOE variegata. Special varies and triangular leaves variously dotted and toother.  ALOE variegata. Special varies and triangular leaves variously dotted and toother.  ALOE variegata. Special varies and triangular leaves variously dotted and toother.  ALOE variegata. Special varies and triangular leaves variously dotted and toother.  ALOE variegata. Special varies and triangular leaves variously dotted and toother.  ALOE variegata. Special varies and triangular leaves variously dotted and toother.  ALOE variegata. Special varies and triangular leaves variously dotted and toother.  ALOE variegata. Special varies and triangular leaves variously dotted and toother.  ALOE variegata. Special varies and triangular leaves variously dotted and toother.  ALOE variegata. Special varies and triangular leaves variously dotte			21/2-3		
ALOE vorlegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower.  CERCPEGIA woodii, Heart Leaved Rosary Vine. Wiry branches from tuber bearing pairs of heart shaped variegated leaves, curious slender flowers.  CHERIDOPSIS candidissima. V for Victory. Forms clusters of pulverulent erect angular leaves, large yellow to pink flower in winter.  EUPHORBIA obesa. Basket Ball. Spherical, very hard. A very curious plant from South Africa where further exportation is prohibited.  AUCARIA tigrina hybrids. Tiger Jaws. Broad triangular leaves variously dotted and toothed. Yellow flowers in fall.  GASTERIA hybrids. Ox Tongue. Tall, 2-ranked leaves, spotted with white. Very durable 2-3 3-5  GASTERIA verrucosa hybrid. Rice Gasteria. Gray green leaves dotted with white.  BAWORTHIA margaritifera. Mother-in-leav's Tongue. Rosettes of sharply tapering leaves bearing raised white dots in transverse bands.  HEREROA nelii. Moose Horns. Rosettes sharply tapering upright leaves bearing raised white dots in transverse bands.  HEREROA nelii. Moose Horns. Rosettes of scimitar shaped green leaves, small yellow flowers.  KALANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins.  NANANTHUS malherbei. Very interesting rosettes of shell shaped gray-green leaves, beaded edges, pink to yellow flower.  Yellow to pink flowers in the fall.  PLEIOSPILOS bolusii. Split Rock. One to three pairs of thick leaves that resemble stones. Yellow to pink flower in late winter.  COCCHEA falcata. Scarlet Paint Brush. Keel shaped, gray green leaves in opposite pairs, large trusses of scarlet flowers in summer.  STAPELIA Arisgata. Spotted Toad Flower. Angular notched branches, freely clustering, pacular spotted, star shaped flower with disk in center. Odiferousl.			3-5		
ALOE variegata. Tiger Aloe. Triangular, gray leaves, white variegation, scarlet flower.  CEROPEGIA woodii. Heart Leaved Rosary Vine, Wiry branches from tuber bearing pairs of heart shaped variegated leaves, curious slender flowers.  CHERIDOPSIS candidissima. V for Victory. Forms clusters of pulverulent erect angular leaves, large yellow to pink flower in winter.  CHERIDOPSIS candidissima. V for Victory. Forms clusters of pulverulent erect angular leaves, large yellow to pink flower in winter.  CHERIDOPSIS candidissima. V for Victory. Forms clusters of pulverulent erect angular leaves, large yellow to pink flower in winter.  2-3 3-5  2-2½  CASTERIA obesa. Basket Ball. Spherical, very hard. A very curious plant from South Africa where further exportation is prohibited.  Africa where further exportation is prohibited.  AGASTERIA hybrids. Tiger Jaws. Broad triangular leaves variously dotted and toothed. Yellow flower in fall.  CASTERIA hybrids. Ox Tongue. Tall, 2-ranked leaves, spotted with white. Very durable.  CASTERIA verrucosa hybrid. Rice Gasteria. Gray green leaves dotted with white.  CASTERIA verrucosa hybrid. Rice Gasteria. Gray green leaves dotted with white.  CASTERIA hybrids. Ox Tongue. Tall, 2-ranked leaves sharply tapering leaves bearing irregularly spaced, raised white dots.  ALWORTHIA fasciata. Zebra Plant. Rosettes sharply tapering upright leaves bearing raised white dots in transverse bands.  HEREROA nelli. Moose Horns. Rosettes of scimitar shaped green leaves, small yellow flowers.  ARANANTHUS malherbei. Very interesting rosettes of shell shaped gray-green leaves, spots on margins.  VANNANTHUS malherbei. Very interesting rosettes of shell shaped gray-green leaves, spots on margins.  VANNANTHUS malherbei. Very interesting rosettes of shell shaped gray-green leaves, peaded edges, pink to yellow flower.  PLEIOSPILOS belia: Cleft Stone. More globular and compact than Bolusii. Slower growing.  Yellow to pink flower in late winter.  COCCHEA falcata. Scarlet Paint Brush. Keel shaped, gray green leaves in					
CEROPFGIA woodii. Heart Leaved Rosary Vine, Wiry branches from tuber bearing pairs of heart shaped variegated leaves, curious slender flowers.  LERIDOPSIS candidissima. V for Victory. Forms clusters of pulverulent erect angular leaves, large yellow to pink flower in winter.  2-3 3-5  EUPHORBIA obesa. Basket Ball. Spherical, very hard. A very curious plant from South Africa where further exportation is prohibited.  FAUCARIA tigrina hybrids. Tiger Jaws. Broad triangular leaves variously dotted and toothed. Yellow flowers in fall.  GASTERIA hybrids. Ox Tongue. Tall, 2-ranked leaves, spotted with white. Very durable. 2-3 3-5  GASTERIA verrucosa hybrid. Rice Gasteria. Gray green leaves dotted with white. 2-3 3-5  GASTERIA verrucosa hybrid. Rice Gasteria. Gray green leaves dotted with white. 2-3 3-5  HAWORTHIA margaritifera. Mother-in-law's Tongue. Rosettes of sharply tapering leaves bearing riregularly spaced, raised white dots.  HAWORTHIA fasciata. Zebra Plant. Rosettes sharply tapering upright leaves bearing raised white dots in transverse bands.  HEREROA nellii. Moose Horns. Rosettes of scimitar shaped green leaves, small yellow flowers.  KALANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins.  2-3 3-4  NANANTHUS malherbei. Very interesting rosettes of shell shaped gray-green leaves, beaded edges, pink to yellow flower.  PLEIOSPILOS bolusii. Split Rock. One to three pairs of thick leaves that resemble stones. Yellow to pink flowers in the fall.  PLEIOSPICOS nelli. Cleft Stone. More globular and compact than Bolusii. Slower growing.  Yellow to pink flower in late winter.  ROCCHEA falcata. Scarlet Paint Brush. Keel shaped, gray green leaves in opposite pairs, large trusses of scarlet flowers in summer.  STAPELIA variegata. Spotted Toad Flower. Angular notched branches, freely clustering, peculiar spotted, star shaped flower bearing many short hairs.  2-21/2  2-21/2  2-21/2  2-21/2  2-21/2  2-21/2  2-21/2  2-21/2  2-21/2  2-21/2  2-21/2  2-21/2  2-21/2  2-21/2  2-21/2  2-21/			3-5		
CHERIDOPSIS candidissima. V for Victory. Forms clusters of pulverulent erect angular leaves, large yellow to pink flower in winter.  EUPHORBIA obesa. Basket Ball. Spherical, very hard. A very curious plant from South Africa where further exportation is prohibited.  Africa where further exportation is prohibited.  ACALORAIR Aigrina hybrids. Tiger Jaws. Broad triangular leaves variously dotted and toothed. Yellow flowers in fall.  GASTERIA hybrids. Ox Tongue. Tall, 2-ranked leaves, spotted with white. Very durable.  GASTERIA verrucosa hybrid. Rice Gasteria. Gray green leaves dotted with white.  BAWORTHIA margaritifera. Mother-in-law's Tongue. Rosettes of sharply tapering leaves bearing irregularly spaced, raised white dots.  HAWORTHIA fasciata. Zebra Plant. Rosettes sharply tapering upright leaves bearing raised white dots in transverse bands.  BEREROA nellii. Moose Horns. Rosettes of scimitar shaped green leaves, small yellow flowers.  KALANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins.  KALANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins.  NANANTHUS malherbei. Very interesting rosettes of shell shaped gray-green leaves, beaded edges, pink to yellow flower.  PLEIOSPILOS bolusii. Split Rock. One to three pairs of thick leaves that resemble stones.  Yellow to pink flowers in the fall.  PLEIOSPILOS halousii. Split Rock. One to three pairs of thick leaves that resemble stones.  Yellow to pink flower in late winter.  COCCHEA falcata. Scarlet Paint Brush. Keel shaped, gray green leaves in opposite pairs, large trusses of scarlet flowers in summer.  STAPELIA variegata. Spotted Toad Flower. Angular notched branches, freely clustering, peculiar spotted, star shaped flower with disk in center. Odiferousl.	ALOE variegata. liger Aloe. Irrangular, gray leaves, white variegation, scarlet flower	2-21/2	21/2-31/2	31/2-5	5-6
CHERIDOPSIS candidissima. V for Victory. Forms clusters of pulverulent erect angular leaves, large yellow to pink flower in winter.  EUPHORBIA obesa. Basket Ball. Spherical, very hard. A very curious plant from South Africa where further exportation is prohibited.  FAUCARIA tigrina hybrids. Tiger Jaws. Broad triangular leaves variously dotted and toothed. Yellow flowers in fall.  GASTERIA hybrids. Ox Tongue. Tall, 2-ranked leaves, spotted with white. Very durable.  GASTERIA hybrids. Ox Tongue. Tall, 2-ranked leaves, spotted with white.  GASTERIA werrucosa hybrid. Rice Gasteria. Gray green leaves dotted with white.  GASTERIA margaritifera. Mother-in-law's Tongue. Rosettes of sharply tapering leaves bearing irregularly spaced, raised white dots.  HAWORTHIA fasciata. Zebra Plant. Rosettes sharply tapering upright leaves bearing raised white dots in transverse bands.  HEREROA nellii. Moose Horns. Rosettes of scimitar shaped green leaves, small yellow flowers.  KALANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins.  NANANTHUS malherbei. Very interesting rosettes of shell shaped gray-green leaves, beaded edges, pink to yellow flower.  PLEIOSPILOS holbiii. Split Rock. One to three pairs of thick leaves that resemble stones.  Yellow to pink flowers in the fall.  PLEIOSPILOS nelii. Cleft Stone. More globular and compact than Bolusii. Slower growing.  Yellow to pink flower in late winter.  COCCHEA falcata. Scarlet Point Brush. Keel shaped, gray green leaves in opposite pairs, large trusses of scarlet flowers in summer.  STAPELIA hirsuta hybrids. Hairy Star Fish Flower. Erect cactoid branches often looking like miniature Arizona Giants. Large star shaped flower bearing many short hairs.  DATAPELIA variegata. Spotted Toad Flower. Angular notched branches, freely clustering, peculiar spotted, star shaped flower bearing many short hairs.	CEROPEGIA woodii. Heart Leaved Rosary Vine, Wiry branches from tuber bearing pairs of				
leaves, large yellow to pink flower in winter.  EUPHORBIA obesa. Basket Ball. Spherical, very hard. A very curious plant from South Africa where further exportation is prohibited.  FAUCARIA tigrina hybrids. Tiger Jaws. Broad triangular leaves variously dotted and toothed. Yellow flowers in fall.  GASTERIA hybrids. Ox Tongue. Tall, 2-ranked leaves, spotted with white. Very durable.  GASTERIA verrucosa hybrid. Rice Gasteria. Gray green leaves dotted with white.  GASTERIA verrucosa hybrid. Rice Gasteria. Gray green leaves dotted with white.  GASTERIA verrucosa hybrid. Rice Gasteria. Gray green leaves dotted with white.  GASTERIA verrucosa hybrid. Rice Gasteria. Gray green leaves dotted with white.  GASTERIA verrucosa hybrid. Rice Gasteria. Gray green leaves dotted with white.  GASTERIA verrucosa hybrid. Rice Gasteria. Gray green leaves dotted with white.  GASTERIA verrucosa hybrid. Rice Gasteria. Gray green leaves dotted with white.  GASTERIA verrucosa hybrid. Rice Gasteria. Gray green leaves dotted with white.  GASTERIA verrucosa hybrid. Rice Gasteria. Gray green leaves of sharply tapering leaves bearing regularly spaced, raised white dots.  HAWORTHIA fasciata. Zebra Plant. Rosettes sharply tapering upright leaves bearing raised white dots in transverse bands.  HEREROA nellii. Moose Horns. Rosettes of scimitar shaped green leaves, small yellow flowers.  KALANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins.  KALANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins.  KALANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins.  KALANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins.  KALANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins.  KALANCHOE tomentosa. Panda Plant. Broad leaves tomentosa.  GASTERIA veriegata. Spoited Took. One to three pairs of thick leaves that resemble stones.  PLEIOSPILOS helii. Cleft S			4-8		
EUPHORBIA obesa. Basket Ball. Spherical, very hard. A very curious plant from South Africa where further exportation is prohibited.  Africa where further exportation is prohibited.  FAUCARIA tigrina hybrids. Tiger Jaws. Broad triangular leaves variously dotted and toothed. Yellow flowers in fall.  GASTERIA hybrids. Ox Tongue. Tall, 2-ranked leaves, spotted with white. Very durable.  GASTERIA verirucosa hybrid. Rice Gasteria. Gray green leaves dotted with white.  BASTERIA variegata.  ANANATHIA margaritifera. Mother-in-law's Tongue. Rosettes of sharply tapering leaves bearing irregularly spaced, raised white dots.  HEREROA nelli. Moose Horns. Rosettes sharply tapering upright leaves bearing raised white dots in transverse bands.  KALANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins.  NANANATHUS malherbei. Very interesting rosettes of shell shaped gray-green leaves, beaded edges, pink to yellow flower.  PLEIOSPILOS bolusii. Split Rock. One to three pairs of thick leaves that resemble stones.  Yellow to pink flowers in the fall.  PLEIOSPILOS nelli. Cleft Stone. More globular and compact than Bolusii. Slower growing. Yellow to pink flower in late winter.  SCOCCHEA falcata. Scarlet Paint Brush. Keel shaped, gray green leaves in opposite pairs, large trusses of scarlet flowers in summer.  STAPELIA hirsuta hybrids. Hairy Star Fish Flower. Erect cactoid branches often looking like miniature Arizona Giants. Large star shaped flower bearing many short hairs.  STAPELIA variegada. Spotted Toad Flower. Angular notched branches, freely clustering, peculiar spotted, star shaped flower with disk in center. Odiferousl.	CHERIDOPSIS candidissima. V for Victory. Forms clusters of pulverulent erect angular				
Africa where further exportation is prohibited.  FAUCARIA tigrina hybrids. Tiger Jaws. Broad triangular leaves variously dotted and toothed. Yellow flowers in fall.  GASTERIA hybrids. Ox Tongue. Tall, 2-ranked leaves, spotted with white. Very durable.  GASTERIA verrucosa hybrid. Rice Gasteria. Gray green leaves dotted with white.  GASTERIA verrucosa hybrid. Rice Gasteria. Gray green leaves dotted with white.  GASTERIA verrucosa hybrid. Rice Gasteria. Gray green leaves dotted with white.  GASTERIA verrucosa hybrid. Rice Gasteria. Gray green leaves dotted with white.  2-3 3-5  HAWORTHIA margaritifera. Mother-in-law's Tongue. Rosettes of sharply tapering leaves bearing irregularly spaced, raised white dots.  HAWORTHIA fasciata. Zebra Plant. Rosettes sharply tapering upright leaves bearing raised white dots in transverse bands.  HEREROA nellii. Moose Horns. Rosettes of scimitar shaped green leaves, small yellow flowers  KALANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins.  NANANTHUS malherbei. Very interesting rosettes of shell shaped gray-green leaves, beaded edges, pink to yellow flower.  Yellow to pink flowers in the fall.  PLEIOSPILOS nellii. Cleft Stone. More globular and compact than Bolusii. Slower growing. Yellow to pink flower in late winter.  ROCCHEA falcata. Scarlet Paint Brush. Keel shaped, gray green leaves in opposite pairs, large trusses of scarlet flowers in summer.  STAPELIA hirsuta hybrids. Hairy Star Fish Flower. Erect cactoid branches often looking like miniature Arizona Giants. Large star shaped flower bearing many short hairs.  STAPELIA variegata. Spotted Toad Flower. Angular notched branches, freely clustering, peculiar spotted, star shaped flower with disk in center. Odiferousl.	ELIDHODRIA shoot Period Poli Spherical years hard A	2-3	3-5		
ed. Yellow flowers in fall.  GASTERIA hybrids. Ox Tongue. Tall, 2-ranked leaves, spotted with white. Very durable.  GASTERIA hybrids. Ox Tongue. Tall, 2-ranked leaves, spotted with white. Very durable.  GASTERIA verrucosa hybrid. Rice Gasteria. Gray green leaves dotted with white.  HAWORTHIA margaritifera. Mother-in-law's Tongue. Rosettes of sharply tapering leaves bearing irregularly spaced, raised white dots.  HAWORTHIA fasciata. Zebra Plant. Rosettes sharply tapering upright leaves bearing raised white dots in transverse bands.  HEREROA nelii. Moose Horns. Rosettes of scimitar shaped green leaves, small yellow flowers  KALANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins.  NANANTHUS malherbei. Very interesting rosettes of shell shaped gray-green leaves, beaded edges, pink to yellow flower.  PLEIOSPILOS bolusii. Split Rock. One to three pairs of thick leaves that resemble stones. Yellow to pink flowers in the fall.  PLEIOSPILOS nelii. Cleft Stone. More globular and compact than Bolusii. Slower growing. Yellow to pink flower in late winter.  ROCCHEA falcata. Scarlet Paint Brush. Keel shaped, gray green leaves in opposite pairs, large trusses of scarlet flowers in summer.  STAPELIA hirsuta hybrids. Hairy Star Fish Flower. Erect cactoid branches often looking like miniature Arizona Giants. Large star shaped flower bearing many short hairs.  STAPELIA variegata. Spotted Toad Flower. Angular notched branches, freely clustering, peculiar spotted, star shaped flower with disk in center. Odiferousl.	Africa where further exportation is prohibited			11/2-2	2-21/4
GASTERIA hybrids. Ox Tongue. Tall, 2-ranked leaves, spotted with white. Very durable	FAUCARIA figring hybrids. Tiger Jaws. Broad friangular leaves variously dotted and tooth-	0.01/			
GASTERIA verrucosa hybrid. Rice Gasteria. Gray green leaves dotted with white	CASTERIA hybrids Ov Tangua Tall 2 ranked lagues anatted with white V - J. I.I.				
HAWORTHIA margaritifera. Mother-in-law's Tongue. Rosettes of sharply tapering leaves bearing irregularly spaced, raised white dots.  HAWORTHIA fasciata. Zebra Plant. Rosettes sharply tapering upright leaves bearing raised white dots in transverse bands.  HEREROA nelii. Moose Horns. Rosettes of scimitar shaped green leaves, small yellow flowers.  KALANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins.  NANANTHUS malherbei. Very interesting rosettes of shell shaped gray-green leaves, beaded edges, pink to yellow flower.  Yellow to pink flowers in the fall.  PLEIOSPILOS bolusii. Split Rock. One to three pairs of thick leaves that resemble stones.  Yellow to pink flowers in the fall.  PLEIOSPILOS nelii. Cleft Stone. More globular and compact than Bolusii. Slower growing. Yellow to pink flower in late winter.  ROCCHEA falcata. Scarlet Paint Brush. Keel shaped, gray green leaves in opposite pairs, large trusses of scarlet flowers in summer.  STAPELIA hirsuta hybrids. Hairy Star Fish Flower. Erect cactoid branches often looking like miniature Arizona Giants. Large star shaped flower bearing many short hairs.  STAPELIA variegata. Spotted Toad Flower. Angular notched branches, freely clustering, peculiar spotted, star shaped flower with disk in center. Odiferousl.  2-2½  2					
bearing irregularly spaced, raised white dots.  HAWORTHIA fasciata. Zebra Plant. Rosettes sharply tapering upright leaves bearing raised white dots in transverse bands.  HEREROA nelii. Moose Horns. Rosettes of scimitar shaped green leaves, small yellow flowers.  KALANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins.  NANANTHUS malherbei. Very interesting rosettes of shell shaped gray-green leaves, beaded edges, pink to yellow flower.  Yellow to pink flowers in the fall.  PLEIOSPILOS bolusii. Split Rock. One to three pairs of thick leaves that resemble stones. Yellow to pink flowers in the fall.  PLEIOSPILOS nelii. Cleft Stone. More globular and compact than Bolusii. Slower growing. Yellow to pink flower in late winter.  ROCCHEA falcata. Scarlet Paint Brush. Keel shaped, gray green leaves in opposite pairs, large trusses of scarlet flowers in summer.  STAPELIA hirsuta hybrids. Hairy Star Fish Flower. Erect cactoid branches often looking like miniature Arizona Giants. Large star shaped flower bearing many short hairs.  STAPELIA variegata. Spotted Toad Flower. Angular notched branches, freely clustering, peculiar spotted, star shaped flower with disk in center. Odiferousl.  2-2½  2-2		2-3	3-5		
HAWORTHIA fasciata. Zebra Plant. Rosettes sharply tapering upright leaves bearing raised white dots in transverse bands.  HEREROA nelii. Moose Horns. Rosettes of scimitar shaped green leaves, small yellow flowers  KALANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins.  NANANATHUS malherbei. Very interesting rosettes of shell shaped gray-green leaves, beaded edges, pink to yellow flower.  PLEIOSPILOS bolusii. Split Rock. One to three pairs of thick leaves that resemble stones. Yellow to pink flowers in the fall.  PLEIOSPILOS nelii. Cleft Stone. More globular and compact than Bolusii. Slower growing. Yellow to pink flower in late winter.  ROCCHEA falcata. Scarlet Paint Brush. Keel shaped, gray green leaves in opposite pairs, large trusses of scarlet flowers in summer.  STAPELIA hirsuta hybrids. Hairy Star Fish Flower. Erect cactoid branches often looking like miniature Arizona Giants. Large star shaped flower bearing many short hairs.  STAPELIA variegata. Spotted Toad Flower. Angular notched branches, freely clustering, peculiar spotted, star shaped flower with disk in center. Odiferousl.  2-2½	bearing irregularly spaced, raised white dots.	2-21/-			
HEREROA nelii. Moose Horns. Rosettes of scimitar shaped green leaves, small yellow flowers 2-3  KALANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins. 2-3 3-4  NANANTHUS malherbei. Very interesting rosettes of shell shaped gray-green leaves, beaded edges, pink to yellow flower. 2-3  PLEIOSPILOS bolusii. Split Rock. One to three pairs of thick leaves that resemble stones. Yellow to pink flowers in the fall. 2-21/2 21/2-3  PLEIOSPILOS nelii. Cleft Stone. More globular and compact than Bolusii. Slower growing. Yellow to pink flower in late winter. 2-21/2  ROCCHEA falcata. Scarlet Paint Brush. Keel shaped, gray green leaves in opposite pairs, large trusses of scarlet flowers in summer. 2-21/2  STAPELIA hirsuta hybrids. Hairy Star Fish Flower. Erect cactoid branches often looking like miniature Arizona Giants. Large star shaped flower bearing many short hairs. 21/2-4  STAPELIA variegata. Spotted Toad Flower. Angular notched branches, freely clustering, peculiar spotted, star shaped flower with disk in center. Odiferousl. 2-3	HAWORTHIA fasciata. Zebra Plant. Rosettes sharply tapering upright leaves bearing	2-2 /2			
HEREROA nelii. Moose Horns. Rosettes of scimitar shaped green leaves, small yellow flowers  KALANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins	raised white dots in transverse bands	2-21/2			
ACALANCHOE tomentosa. Panda Plant. Broad leaves covered with silver plush, brown spots on margins	HEREROA nelii. Moose Horns. Rosettes of scimitar shaped green leaves, small yellow				-
spots on margins	KALANCHOE tomentosa, Panda Plant, Broad leaves covered with silver plush brown	2-3			
beaded edges, pink to yellow flower	spots on margins	2-3	3-4		
PLEIOSPILOS bolusii. Split Rock. One to three pairs of thick leaves that resemble stones.  Yellow to pink flowers in the fall	NANANTHUS malherbei. Very interesting rosettes of shell shaped gray-green leaves,				
Yellow to pink flowers in the fall	beaded edges, pink to yellow flower	2-3			
PLEIOSPILOS nelii. Cleft Stone. More globular and compact than Bolusii. Slower growing.  Yellow to pink flower in late winter	Yellow to pink flowers in the fall	2-21/2	21/2-3		
ROCCHEA falcata. Scarlet Paint Brush. Keel shaped, gray green leaves in opposite pairs, large trusses of scarlet flowers in summer	PLEIOSPILOS nelii. Cleft Stone. More globular and compact than Bolusii. Slower growing.				
large trusses of scarlet flowers in summer	Yellow to pink flower in late winter	2-21/2			
STAPELIA hirsuta hybrids. Hairy Star Fish Flower. Erect cactoid branches often looking like miniature Arizona Giants. Large star shaped flower bearing many short hairs	ROCCHEA falcata. Scarlet Paint Brush. Keel shaped, gray green leaves in opposite pairs,	0.01/			
miniature Arizona Giants. Large star shaped flower bearing many short hairs	STAPELIA hirsuta hybrids. Hairy Star Fish Flower Frest sastoid branches often leaking It	2-21/2	21/2-4		
peculiar spotted, star shaped flower with disk in center. Odiferousl	miniature Arizona Giants. Large star shaped flower bearing many short hairs	21/2-4			
TOWATURE CITY CONTRACTOR AND A STATE OF THE	STAPELIA variegata. Spotted road Flower. Angular notched branches, freely clustering,				
2-21/2					
	TOMATION Tollett. Closiering roseries, toothea. small, thick leaves	2-21/2			